


REPLACEMENT GUIDE

Convert your current product
to an Embraco Solution



Extended
envelope



Reduced noise
levels



Compact and
efficient



Complete line up
for all refrigerants,
including R-290

embraco
Nidec

THE REPLACEMENT IS SEAMLESS


Embraco compressors
replace Tecumseh's in:



Form



Fit



Function



Refrigerant ✓

Embraco offers a **complete line up for all refrigerants**, including replacement solutions for R-12 and R-22 with lower GWP.




Application ✓

Extended range: Embraco's triple threat FF family fits all applications: low, medium and high back pressure.




Cooling Capacity ✓

Efficient: Same cooling capacity with lower energy consumption;



Height ✓

Embraco compressors are more **compact**.



Footprint ✓

Embraco compressors have the **perfect mount fit**, with the same or smaller base dimensions.



COMPRESSOR CROSS REFERENCE

Refrigerant	#	Brand	Model	Application	Input Voltage	Displac. (cm³)	Motor Type	Torque	Performance			Connection Line Position		Dimension (in)
									Test Condition	Capacity (Btu/h)	EER (Btu/Wh)	Suction	Discharge	
R-134A	25	Secop	TL4G	L/M/HBP	100 - 115 V 50/60 Hz	3.77	CSIR	HST	ASHRAELBP32	306	3.19	L	R	6.5 x 4
		Secop	TL4G	L/M/HBP	100 - 115 V 50/60 Hz	3.77	RSIR	LST	ASHRAELBP32	306	3.19	L	R	6.5 x 5
		Danfoss	L30H5L	LBP	110 - 120 V 60 Hz	3.10	RSIR	LST	ASHRAELBP32	266	3.24	L	R	6.69 x 2.75
		Danfoss	B38H5	LBP	110 - 120 V 60 Hz	3.80	RSIR	LST	ASHRAELBP32	328	3.75	L	R	6.69 x 2.75
		Danfoss	B38H5L	LBP	110 - 120 V 60 Hz	3.80	RSIR	LST	ASHRAELBP32	328	3.58	L	R	6.69 x 2.75
		Embraco	EMIS30HHR	L/MBP	115 - 127 V 60 Hz	3	RSIR/CSIR	LST	ASHRAELBP32	340	3.75	L	R	6.5 x 4
	26	Danfoss	GL60PE	M/HBP	115 V 60 Hz	5.68	RSIR	LST	ASHRAEHP32	2078	6.86	L	R	6.69 x 4
		Danfoss	GL60TE	M/HBP	115 V 60 Hz	5.68	CSIR	HST	ASHRAEHP32	2078	6.86	L	R	6.69 x 4
		Embraco	EM55HHR	HBP	115 - 127 V 60 Hz	4.6	RSIR	LST	ASHRAEHP32	2150	8.60	L	R	6.5 x 4
	27	Secop	NF6.1FX.2	L/MBP	115 - 127 V 60 Hz	6.06	CSIR	HST	ASHRAELBP32	721	4.06	R	R	6.7 x 4
		Danfoss	GUY60NRb	L/MBP	115 - 127 V 60 Hz	6.00	CSIR	LST/HST	ASHRAELBP32	730	5.08	L	R	6.69 x 2.75
		Danfoss	GUY60NRc	L/MBP	115 - 127 V 60 Hz	6.00	CSIR	LST/HST	ASHRAELBP32	730	5.08	L	R	6.69 x 2.75
		Danfoss	GUY70NRb	L/MBP	115 - 127 V 60 Hz	6.70	CSIR	LST/HST	ASHRAELBP32	768	5.08	L	R	6.69 x 2.75
		Danfoss	GUY70NRc	L/MBP	115 - 127 V 60 Hz	6.70	CSIR	LST/HST	ASHRAELBP32	768	5.08	L	R	6.69 x 2.75
		Embraco	EMIS70HHR	L/MBP	115 - 127 V 60 Hz	5.96	RSIR	LST	ASHRAELBP32	693	4.58	L	R	6.5 x 4
	28	Secop	NF7.3FX.2	L/MBP	115 - 127 V 60 Hz	7.21	CSIR	HST	ASHRAELBP32	892	3.95	R	R	6.7 x 4
		Secop	NF9FX	L/MBP	115 - 127 V 60 Hz	8.36	CSIR	HST	ASHRAELBP32	935	3.82	R	R	6.7 x 4
		Danfoss	GUY80NRb	L/MBP	115 - 127 V 60 Hz	8.10	CSIR	LST/HST	ASHRAELBP32	969	5.08	L	R	6.69 x 2.75
		Danfoss	GUY80NRc	L/MBP	115 - 127 V 60 Hz	8.10	CSIR	LST/HST	ASHRAELBP32	969	5.08	L	R	6.69 x 2.75
		Danfoss	GL99ADa	LBP	115 V 60 Hz	9.95	RSIR	LST	ASHRAELBP32	949	3.92	L	R	6.69 x 4
		Danfoss	GL99ADb	LBP	115 V 60 Hz	9.95	CSIR	LST	ASHRAELBP32	949	3.92	L	R	6.69 x 4
		Embraco	FFUS80HAK	L/MBP	115 - 127 V 60 Hz	6.76	RSIR/CSIR	LST	ASHRAELBP32*	882*	5.15*	R	R	6.69 x 4
	29	Secop	NF8.4FX.2	L/MBP	115 - 127 V 60 Hz	8.36	CSIR	HST	ASHRAELBP32	1030	4.16	R	R	6.7 x 4
		Secop	NF10FX	L/MBP	115 - 127 V 60 Hz	10.16	CSIR	HST	ASHRAELBP32	1046	4.00	R	R	6.7 x 4
		Danfoss	GLY12NRa	L/MBP	115 - 127 V 60 Hz	10.70	CSIR	LST/HST	ASHRAELBP32	1085	4.54	L	R	6.69 x 4
		Danfoss	GLY12NRb	L/MBP	115 - 127 V 60 Hz	10.70	CSR	LST/HST	ASHRAELBP32	1085	4.74	L	R	6.69 x 4
		Embraco	FFI12HBX	L/M/HBP	115 - 127 V 60 Hz	11.14	CSIR	HST	ASHRAELBP32	1190	4.08	R	R	6.5 x 4
		Embraco	FFUS100HAX	L/MBP	115 - 127 V 60 Hz	7.95	CSIR	LST	ASHRAELBP32	1004	4.89	R	R	6.69 x 4
	30	Danfoss	GPY14RDa	HBP	115 V 60 Hz	14.32	CSIR	HST	ASHRAEHP46	5821	7.57	L	R	6.69 x 4
		Danfoss	GPY14RDb	HBP	115 V 60 Hz	14.32	CSR	HST	ASHRAEHP46	5821	8.05	L	R	6.69 x 4
		Danfoss	GP16TE	HBP	115 V 60 Hz	16.15	CSIR	HST	ASHRAEHP46	5725	6.69	L	R	6.69 x 4
		Danfoss	GPY16RDa	HBP	115 V 60 Hz	16.15	CSIR	HST	ASHRAEHP46	6189	7.40	L	R	6.69 x 4
		Danfoss	GPY16RDb	HBP	115 V 60 Hz	16.15	CSR	HST	ASHRAEHP46	6189	7.88	L	R	6.69 x 4
		Embraco	NEU6212Z	HBP	115 - 127 V 60 Hz	14.28	CSCR	HST	ASHRAEHP46	5772	8.33	R	R	6.5 x 4
	31	Secop	NF11FX.2	L/MBP	115 - 127 V 60 Hz	11.14	CSIR	HST	ASHRAELBP32	1303	3.95	R	R	6.7 x 4
		Embraco	FFU160HAX	L/MBP	115 - 127 V 60 Hz	12.92	CSIR	LST/HST	ASHRAELBP32	1516	4.65	R	R	6.5 x 4

* * * means that the model's performance was converted

Refrigerant	#	Brand	Model	Application	Input Voltage	Displac. (cc)	Motor Type	Torque	Performance			Connection Line Position		Dimension (in)
									Test Condition	Capacity (Btu/h)	EER (Btu/Wh)	Suction	Discharge	
R290	1	Secop	DLE4CN	L/MBP	115 - 127 V 60 Hz	3.93	CSIR	HST	ASHRAELBP32	783	5.11	R	R	6.5 x 4
		Secop	DLE4CN	L/MBP	115 - 127 V 60 Hz	3.93	RSIR	LST	ASHRAELBP32	783	5.11	R	R	6.5 x 4
		Secop	DLE4CN	L/MBP	115 - 127 V 60 Hz	3.93	RSCR	LST	ASHRAELBP32	799	5.40	R	R	6.5 x 4
		Danfoss	NLY45LRa	LBP	115 - 127 V 60 Hz	4.56	CSIR	HST	ASHRAELBP32	819	4.44	L	R	6.69 x 4
		Danfoss	NLY45LRb	LBP	115 - 127 V 60 Hz	4.56	CSR	HST	ASHRAELBP32	819	4.71	L	R	6.69 x 4
		Danfoss	NUY45NRb	L/MBP	115 - 127 V 60 Hz	4.50	CSIR	LST/HST	ASHRAELBP32	836	5.46	L	R	6.69 x 2.75
		Embraco	EMX4115U	L/MBP	115 - 127 V 60 Hz	3.97	CSIR	HST	ASHRAELBP32	782	5.82	L	R	6.5 x 4
		Embraco	EMX3115U	L/MBP	115 - 127 V 60 Hz	3.97	RSCR	LST	ASHRAELBP32	756	5.95	L	R	6.5 x 4
	2	Secop	DLE4.8CN	L/MBP	115 - 127 V 60 Hz	4.75	CSIR	HST	ASHRAELBP32	972	5.00	R	R	6.5 x 4
		Secop	DLE4.8CN	L/MBP	115 - 127 V 60 Hz	4.75	RSIR	LST	ASHRAELBP32	972	5.00	R	R	6.5 x 4
		Secop	DLE4.8CN	L/MBP	115 - 127 V 60 Hz	4.75	RSCR	LST	ASHRAELBP32	992	5.34	R	R	6.5 x 4
		Embraco	EMC3121U	L/MBP	115 - 127 V 60 Hz	5.54	RSCR	LST	ASHRAELBP32	924	6.42	L	R	6.5 x 4
		Embraco	EMX4121U	L/MBP	115 - 127 V 60 Hz	5.19	CSIR	HST	ASHRAELBP32	1050	5.86	L	R	6.5 x 5
	3	Secop	DLE5.7CN	L/MBP	115 - 127 V 60 Hz	5.74	CSIR	HST	ASHRAELBP32	1188	5.10	R	R	6.5 x 4
		Secop	DLE5.7CN	L/MBP	115 - 127 V 60 Hz	5.74	RSIR	LST	ASHRAELBP32	1188	5.10	R	R	6.5 x 4
		Secop	DLE5.7CN	L/MBP	115 - 127 V 60 Hz	5.74	RSCR	LST	ASHRAELBP32	1200	5.46	R	R	6.5 x 4
		Danfoss	NUT55LRa	LBP	115 - 127 V 60 Hz	5.50	CSIR	HST	ASHRAELBP32	1105	5.46	L	R	6.69 x 2.75
		Danfoss	NUT55LRb	LBP	115 - 127 V 60 Hz	5.50	CSR	HST	ASHRAELBP32	1126	5.90	L	R	6.69 x 2.75
		Danfoss	NUT55LRc	LBP	115 - 127 V 60 Hz	5.50	CSIR	HST	ASHRAELBP32	1105	5.46	L	R	6.69 x 2.75
		Danfoss	NUT55LRd	LBP	115 - 127 V 60 Hz	5.50	CSR	HST	ASHRAELBP32	1126	5.90	L	R	6.69 x 2.75
		Danfoss	NLY60LRa	LBP	115 - 127 V 60 Hz	5.98	CSIR	HST	ASHRAELBP32	1184	4.85	L	R	6.69 x 4
		Danfoss	NLY60LRb	LBP	115 - 127 V 60 Hz	5.98	CSR	HST	ASHRAELBP32	1184	5.22	L	R	6.69 x 4
		Embraco	EMX4125U	L/MBP	115 - 127 V 60 Hz	5.89	CSIR	HST	ASHRAELBP32	1210	5.85	L	R	6.5 x 4
		Embraco	EMC3125U	L/MBP	115 - 127 V 60 Hz	5.89	RSCR	LST	ASHRAELBP32	1177	5.97	L	R	6.5 x 4
	4	Secop	DLE6.5CN	L/MBP	115 - 127 V 60 Hz	6.55	CSIR	HST	ASHRAELBP32	1283	5.11	R	R	6.5 x 4
		Secop	DLE6.5CN	L/MBP	115 - 127 V 60 Hz	6.55	RSIR	LST	ASHRAELBP32	1283	5.11	R	R	6.5 x 4
		Secop	DLE6.5CN	L/MBP	115 - 127 V 60 Hz	6.55	RSCR	LST	ASHRAELBP32	1303	5.48	R	R	6.5 x 4
		Danfoss	NUT60LRa	L/MBP	115 - 127 V 60 Hz	6.00	CSIR	HST	ASHRAELBP32	1211	5.46	L	R	6.69 x 2.75
		Danfoss	NUT60LRb	L/MBP	115 - 127 V 60 Hz	6.00	CSR	HST	ASHRAELBP32	1245	5.90	L	R	6.69 x 2.75
		Danfoss	NUT60LRc	L/MBP	115 - 127 V 60 Hz	6.00	CSIR	HST	ASHRAELBP32	1211	5.46	L	R	6.69 x 2.75
		Danfoss	NUT60LRd	L/MBP	115 - 127 V 60 Hz	6.00	CSR	HST	ASHRAELBP32	1245	5.90	L	R	6.69 x 2.75
		Danfoss	NLY75NRa	L/MBP	115 - 127 V 60 Hz	7.36	CSIR	LST/HST	ASHRAELBP32	1344	4.50	L	R	6.5 x 4
		Danfoss	NLY75NRb	L/MBP	115 - 127 V 60 Hz	7.36	CSR	LST/HST	ASHRAELBP32	1402	4.98	L	R	6.5 x 4
		Embraco	EMC3125U	L/MBP	115 - 127 V 60 Hz	5.89	RSCR	LST	ASHRAELBP32	1177	5.97	L	R	6.5 x 4
		Embraco	EMX4125U	L/MBP	115 - 127 V 60 Hz	5.89	CSIR	HST	ASHRAELBP32	1210	5.85	L	R	6.5 x 4
		Embraco	EMC3130U	L/MBP	115 - 127 V 60 Hz	6.92	RSCR	LST	ASHRAELBP32	1426	5.81	L	R	6.5 x 4
		Embraco	EMX4130U	L/MBP	115 - 127 V 60 Hz	6.92	CSIR	HST	ASHRAELBP32	1397	5.66	L	R	6.5 x 4
	5	Secop	NLE8CN	L/MBP	115 - 127 V 60 Hz	7.96	CSIR	HST	ASHRAELBP32	1546	5.36	R	R	6.5 x 4
		Secop	NLE8CN	L/MBP	115 - 127 V 60 Hz	7.96	RSIR	LST	ASHRAELBP32	1546	5.36	R	R	6.5 x 4
		Secop	NLE8CN	L/MBP	115 - 127 V 60 Hz	7.96	RSCR	LST	ASHRAELBP32	1583	5.81	R	R	6.5 x 4
		Danfoss	NLY80LRa	L/MBP	115 - 127 V 60 Hz	8.10	CSIR	HST	ASHRAELBP32	1474	4.67	L	R	6.5 x 4
		Danfoss	NLY80LRb	L/MBP	115 - 127 V 60 Hz	8.10	CSR	HST	ASHRAELBP32	1474	4.98	L	R	6.5 x 4
		Embraco	EMX4134U	L/MBP	115 - 127 V 60 Hz	7.95	CSIR	HST	ASHRAELBP32	1628	5.50	L	R	6.5 x 4
		Embraco	EMC3134U	L/MBP	115 - 127 V 60 Hz	7.95	RSCR	LST	ASHRAELBP32	1692	6.18	L	R	6.5 x 4
		Secop	NLE8.8CN	L/MBP	115 - 127 V 60 Hz	8.76	CSIR	HST	ASHRAELBP32	1751	5.37	R	R	6.5 x 4
		Secop	NLE8.8CN	L/MBP	115 - 127 V 60 Hz	8.76	RSIR	LST	ASHRAELBP32	1751	5.37	R	R	6.5 x 4
		Secop	NLE8.8CN	L/MBP	115 - 127 V 60 Hz	8.76	RSCR	LST	ASHRAELBP32	1775	5.72	R	R	6.5 x 4
		Danfoss	NLY90NRa	L/MBP	115 - 127 V 60 Hz	9.09	CSIR	LST/HBP	ASHRAELBP32	1648	4.64	L	R	6.5 x 4
		Danfoss	NLY90NRb	L/MBP	115 - 127 V 60 Hz	9.09	CSR	LST/HBP	ASHRAELBP32	1648	4.91	L	R	6.5 x 4
		Embraco	EMC3134U	L/MBP	115 - 127 V 60 Hz	7.95	RSCR	LST	ASHRAELBP32	1692	6.18	L	R	6.5 x 4
		Embraco	EMX4134U	L/MBP	115 - 127 V 60 Hz	7.95	CSIR	HST	ASHRAELBP32	1628	5.5	L	R	6.5 x 4

“ ” means that the model's performance was converted



COMPRESSOR CROSS REFERENCE

Refrigerant	#	Brand	Model	Application	Input Voltage	Displac. (cm³)	Motor Type	Torque	Performance			Connection Line Position		Dimension (in)
									Test Condition	Capacity (Btu/h)	EER (Btu/Wh)	Suction	Discharge	
R290	7	Secop	NLE10CN	L/MBP	115 - 127 V 60 Hz	10.09	CSIR	HST	ASHRAELBP32	2073	5.20	R	R	6.5 x 4
		Secop	NLE10CN	L/MBP	115 - 127 V 60 Hz	10.09	RSIR	LST	ASHRAELBP32	2073	5.20	R	R	6.5 x 4
		Secop	NLE10CN	L/MBP	115 - 127 V 60 Hz	10.09	RSCR	LST	ASHRAELBP32	2107	5.72	R	R	6.5 x 4
		Danfoss	NLY12NRa	L/MBP	115 - 127 V 60 Hz	12.10	CSIR	LST/HBP	ASHRAELBP32	1976	4.95	L	R	6.5 x 4
		Danfoss	NLY12NRb	L/MBP	115 - 127 V 60 Hz	12.10	CSR	LST/HBP	ASHRAELBP32	2054	5.15	L	R	6.5 x 4
		Danfoss	NPY12LRa	L/MBP	115 - 127 V 60 Hz	12.10	CSIR	HST	ASHRAELBP32	2163	4.61	L	R	6.5 x 4
		Danfoss	NPY12LRb	L/MBP	115 - 127 V 60 Hz	12.10	CSR	HST	ASHRAELBP32	2163	4.91	L	R	6.5 x 4
		Embraco	EMC3140U	L/MBP	115 - 127 V 60 Hz	9.50	RSCR	LST	ASHRAELBP32	1991	5.87	L	R	6.5 x 4
		Embraco	EMX4140U	L/MBP	115 - 127V 60 Hz	9.50	CSIR	HST	ASHRAELBP32	1931	5.38	L	R	6.5 x 4
	8	Secop	NLE11CNL	LBP	115 - 127 V 60 Hz	11.15	CSIR	HST	ASHRAELBP32	2291	5.54	R	R	6.5 x 4
		Secop	NLE11CNL	LBP	115 - 127 V 60 Hz	11.15	RSCR	LST	ASHRAELBP32	2340	6.04	R	R	6.5 x 4
		Danfoss	NPY12LRa	LBP	115 - 127 V 60 Hz	12.10	CSIR	HST	ASHRAELBP32	2163	4.61	L	R	6.69 x 4
		Danfoss	NPY12LRb	LBP	115 - 127 V 60 Hz	12.10	CSR	HST	ASHRAELBP32	2163	4.91	L	R	6.69 x 4
		Embraco	NEU2140U	LBP	115 - 127 V 60 Hz	9.99	CSIR	HST	ASHRAELBP32	1965	5.00	R	R	6.5 x 4
		Embraco	NEU2155U	LBP	115 - 127 V 60 Hz	13.54	CSCR	HST	ASHRAELBP32	2615	5.32	R	R	6.5 x 4
		Embraco	EMC3145U	L/MBP	115 - 127 V 60 Hz	11.14	RSCR	LST	ASHRAELBP32	2338	5.96	L	R	6.5 x 4
	9	Secop	NLE11MN	MBP	115 - 127 V 60 Hz	11.15	CSIR	HST	ASHRAEMBP46	4107	6.97	R	R	6.5 x 4
		Secop	NLE11MN	MBP	115 - 127 V 60 Hz	v	RSCR	LST	ASHRAEMBP46	4171	7.51	R	R	6.5 x 4
		Embraco	EMC3145U	L/MBP	115 - 127 V 60 Hz	11.14	RSCR	LST	ASHRAEMBP46*	4139*	7.69*	L	R	6.5 x 4
		Embraco	NEU6214U	MBP	115 - 127 V 60 Hz	12.11	CSIR	HST	ASHRAEMBP46	4317	6.83	R	R	6.5 x 4
	10	Secop	SCE15CNLX	LBP	115 - 127 V 60 Hz	15.24	CSCR	HST	ASHRAELBP32	2731	5.38	L	R	6.5 x 4
		Secop	SCE15CNLX	LBP	115 - 127 V 60 Hz	15.24	CSIR	HST	ASHRAELBP32	2722	5.12	L	R	6.5 x 4
		Danfoss	NPT16LR	L/MBP	115 - 127 V 60 Hz	16.15	CSR	HST	ASHRAELBP32	2825	4.81	L	R	6.5 x 4
		Embraco	NEX4160UA	L/MBP	115 - 127 V 60 Hz	14.28	CSCR	HST	ASHRAELBP32*	2981*	5.99*	R	R	6.5 x 4
	11	Secop	SCE15MNX	MBP	115 - 127 V 60 Hz	15.24	CSCR	HST	ARIMBP	5020	7.33	L	R	6.5 x 4
		Secop	SCE15MNX	MBP	115 - 127 V 60 Hz	15.24	CSIR	HST	ARIMBP	4963	6.94	L	R	6.5 x 4
		Embraco	NEX4160UA	L/MBP	115 - 127 V 60 Hz	14.28	CSCR	HST	ARIMBP	4590	6.78	R	R	6.5 x 4
		Secop	SCE18CNLX	LBP	115 - 127 V 60 Hz	17.69	CSCR	HST	ASHRAELBP32	3224	5.56	L	R	6.5 x 4
	12	Embraco	NEX4160UA	L/MBP	115 - 127 V 60 Hz	14.28	CSCR	HST	ASHRAELBP32*	2981*	5.99*	R	R	6.5 x 4
		Embraco	NEX4170UA	L/MBP	115 - 127 V 60 Hz	16.8	CSCR	HST	ASHRAELBP32*	3533*	5.91*	R	R	6.5 x 4
	13	Secop	SCE18MNX	MBP	115 - 127 V 60 Hz	17.69	CSCR	HST	ASHRAEMBP46	6136	7.26	L	R	6.5 x 4
		Secop	SCE18MNX	MBP	115 - 127 V 60 Hz	17.69	CSIR	HST	ASHRAEMBP46	6092	6.78	L	R	6.5 x 5
		Embraco	NEX4170UA	L/MBP	115 - 127 V 60 Hz	16.8	CSCR	HST	ASHRAEMBP46*	5744*	6.52*	R	R	6.5 x 4
		Embraco	NEX6221UA	L/M/HBP	115 - 127 V 60 Hz	16.8	CSCR	HST	ASHRAEMBP46*	5740*	6.66*	R	R	6.5 x 4
	14	Secop	SCE21CNLX	LBP	115 V 60 Hz	20.95	CSCR	HST	ASHRAELBP32	3720	5.47	L	R	6.5 x 4
		Embraco	NEX4180UA	L/MBP	115 - 127 V 60 Hz	18.7	CSCR	HST	ASHRAELBP32	3751	5.47	R	R	6.5 x 4

" * " means that the model's performance was converted



COMPRESSOR CROSS REFERENCE

Refrigerant	#	Brand	Model	Application	Input Voltage	Displac. (cm³)	Motor Type	Torque	Performance			Connection Line Position		Dimension (in)
									Test Condition	Capacity (Btu/h)	EER (Btu/Wh)	Suction	Discharge	
R-404A	15	Secop	TFS4.5CLX	LBP	115 - 127 V 60Hz	4.75	CSIR	HST	ASHRAELBP32	926	4.06	L	R	6.7 x 4
		Danfoss	MLY45LRa	LBP	115 - 127 V 60Hz	4.56	CSIR	HST	ASHRAELBP32	962	4.20	L	R	6.69 x 4
		Danfoss	MLY45LRb	LBP	115 - 127 V 60Hz	4.56	CSR	HST	ASHRAELBP32	962	4.33	L	R	6.69 x 4
		Embraco	NEK2117GK	LBP	115 V 60 Hz	4.51	CSIR	HST	ASHRAELBP32	979	4.05	R	R	8.29 x 2.76
	16	Secop	NF5.5CLX	L/MBP	115 V 60 Hz	6.06	CSIR	HST	ASHRAELBP32*	1376*	4.78*	R	R	6.5 x 4
		Danfoss	MLY60LDa	LBP	115 V 60 Hz	5.98	CSIR	HST	ASHRAELBP32	1297	4.27	L	R	6.69 x 4
		Danfoss	MLY60LDb	LBP	115 V 60 Hz	5.98	CSR	HST	ASHRAELBP32	1297	4.57	L	R	6.69 x 4
		Danfoss	MLY60LDb	LBP	115 V 60 Hz	5.98	CSR	HST	ASHRAELBP32	1297	4.57	L	R	6.69 x 4
		Embraco	NEK2121GK	LBP	115 V 60 Hz	5.44	CSIR	HST	ASHRAELBP32	1212	4.24	R	R	8.29 x 2.76
	17	Secop	NF7CLX	L/MBP	115 V 60 Hz	7.21	CSIR	HST	ASHRAELBP32	1541	4.19	R	R	6.5 x 4
		Secop	SC10CL	L/MBP	115 V 60 Hz	10.32	CSIR	HST	ASHRAELBP32	1420	3.36	R	R	6.5 x 4
		Danfoss	ML80FR	LBP	115 - 127 V 60 Hz	8.10	CSIR	HST	ASHRAELBP32	1484	3.58	L	R	6.69 x 4
		Danfoss	ML90FR	LBP	115 - 127 V 60 Hz	8.85	CSIR	HST	ASHRAELBP32	1621	3.79	L	R	6.69 x 4
		Embraco	NEK2125GK	LBP	115 V 60 Hz	6.2	CSIR	HST	ASHRAELBP32	1458	4.51	R	R	8.29 x 2.76
	18	Secop	SC12MLX	MBP	115 V 60 Hz	12.78	CSIR	HST	ASHRAEMBP46	4387	5.20	R	R	6.5 x 4
		Secop	SC12MLX	MBP	115 V 60 Hz	12.78	CSCR	HST	ASHRAEMBP46	4441	5.48	R	R	6.5 x 4
		Embraco	NEU6215GK	MBP	115 - 127 V 60 Hz	12.11	CSIR	HST	ASHRAEMBP46*	4199*	4.73*	R	R	6.5 x 4
	19	Secop	SC12CL	LBP	115 V 60 Hz	12.87	CSIR	HST	ASHRAELBP32	2374	3.77	R	R	6.5 x 4
		Secop	SC12CLX.2	LBP	115 V 60 Hz	12.87	CSIR	HST	ASHRAELBP32	2471	3.89	R	R	6.5 x 4
		Danfoss	MLY12LRa	LBP	115 - 127 V 60Hz	10.70	CSIR	HST	ASHRAELBP32	2368	4.57	L	R	6.69 x 4
		Danfoss	MPT12LD	LBP	115 V 60 Hz	12.10	CSR	HST	ASHRAELBP32	2566	4.81	L	R	6.69 x 4
		Embraco	NEU2155GK	LBP	115 - 127 V 60Hz	12.11	CSIR	HST	ASHRAELBP32	2603	4.43	R	R	6.5 x 4
	21	Secop	SC15CLX.2	LBP	115 V 60 Hz	15.28	CSIR	HST	ASHRAELBP32	3005	4.12	R	R	6.5 x 4
		Secop	SC15CLX.2	LBP	115 V 60 Hz	15.28	CSCR	HST	ASHRAELBP32	2984	4.32	R	R	6.5 x 4
		Danfoss	MPT14LD	LBP	115 V 60 Hz	14.32	CSR	HST	ASHRAELBP32	2945	4.61	L	R	6.69 x 4
		Danfoss	MPT16LD	LBP	115 V 60 Hz	16.10	CSR	HST	ASHRAELBP32	3160	4.44	L	R	6.69 x 4
		Embraco	NEU2168GK	LBP	115 - 127 V 60 Hz	14.28	CSCR	HST	ASHRAELBP32	3165	4.9	R	R	6.5 x 4
	22	Secop	SC15CLX.2	LBP	208 - 230V 60 Hz	15.24	CSCR	HST	ASHRAELBP32	3005	4.54	R	R	6.5 x 4
		Danfoss	MPT14LF	LBP	208 - 230 V 60 Hz	14.32	CSR	HST	ASHRAELBP32	3040	4.64	L	R	6.69 x 4
		Embraco	NEU2168GK	LBP	208 - 230 V 60 Hz	14.28	CSCR	HST	ASHRAELBP32	3165	4.90	R	R	6.5 x 4
	23	Secop	SC15MLX	MBP	115 V 60 Hz	15.24	CSIR/CSCR	HST	ASHRAEMBP46	5070	4.74	R	R	6.5 x 4
		Embraco	NTX6220GKV	MBP	115 - 127 V 60 Hz	13.44	CSCR	HST	ASHRAEMBP46*	4955*	5.92*	R	R	8 x 4.8
	24	Secop	SC18MLX	MBP	115 V 60 Hz	17.69	CSCR	HST	ASHRAEMBP46	6380	5.03	R	R	6.5 x 4
		Embraco	NTX6222GKV	M/HBP	115 - 127 V 60Hz	15.1	CSCR	HST	ASHRAEMBP46*	5771*	6.03*	R	R	8 x 4.8

" * " means that the model's performance was converted



**GET TO KNOW MORE ABOUT
THE EMBRACO OPTIONS TO
UPGRADE YOUR CURRENT
REFRIGERATION PRODUCTS.**



Scan this QrCode and receive the
complete replacement guide by email.





embraco.com



Embraco Product Selector



Embraco Toolbox App