NEWS 2021



HVAC/R AUTOMOTIVE











"Every year approximately 8 million tons of plastic waste end up in the oceans and if no measure will be taken, there would be more plastic than fish in the sea by 2050 (source: WWF)."

ERRECOM, since its foundation attentive to the environment has now decided to act concretely and to give its contribution by reducing more and more the use of plastic packaging.

In this catalogue we can proudly show you that products usually packed in clamshell packaging will be packed in recycled cardboard up to now.

We are sure that our customers will appreciate our commitment and share our choice to prefer this new type of packaging.

Cartridge Additives of 240 mL

ERRECOM has made its additives, tracers and lubricants compatible with the rudimentary Canadian injection method known all over the world.

Even those who still use this system will no longer have to give up the quality and innovation of Errecom products that will be available in 240 mL cartridges.





Adapters for Cartridges

ArtNr.	Description	8	* **
TB5201.01	for R134a	01	-
TB5202.01	for R1234yf	01	-
TB5203.01	for 1/4 SAE	01	-
TB5204.01	for 5/16 SAE	01	-

Fluorescent UV LEAK DETECTOR for Vehicle A/C Systems

ArtNr.	Description	8	* **
TR1003.DQ.01	Brilliant	06	-
TR1032.DQ.01	Green Brilliant	06	-
TR1121.DQ.01	Blue Brilliant	06	-
TR1098.DQ.01	Red Brilliant	06	-

PAG LUBRICANT for Vehicle A/C Systems

ArtNr.	Description	8	* **
OL6057.DQ.01	Premium PAG for R134a - R1234yf	06	-
OL6001.DQ.01	Premium PAG 46 for R134a - R1234yf	06	-
OL6003.DQ.01	Premium PAG 100 for R134a - R1234yf	06	-
OL6004.DQ.01	Premium PAG 125 for R134a - R1234yf	06	-
OL6005.DQ.01	Premium PAG 150 for R134a - R1234yf	06	-
OL6059.DQ.01	Universal PAG specific for R1234yf	06	-
OL6047.DQ.01	PAG 46 specific for R1234yf	06	-
OL6048.DQ.01	PAG 100 specific for R1234yf	06	-
OL6075.DQ.01	ISO 46 specific for A/C con CO ₂	06	-
OL6076.DQ.01	ISO 68 specific for A/C con CO ₂	06	

POE LUBRICANT for Vehicle A/C Systems

ArtNr.	Description	8	** **
OL6033.DQ.01	POE 100E specific for R1234yf	06	-



Refrigeration Lubricants

PAG for Refrigeration Systems

	ArtNr.	Litres	8	***	Packaging
	OL6077.Q.P2	0,25	24	2880	
	OL6077.M.P2	0,50	12	1080	
	OL6077.K.P2	1	12	756	Dlastia
0	OL6077.UP.P2	3,78	02	-	Plastic Tank
15	OL6077.I.P2	4	02	-	TATIK
ŋ	OL6077.P.P2	5	02	140	
PAG	OL6077.K.01	1	12	-	
	OL6077.P.01	5	02	-	Metal
	OL6077.T	25	01	24	Tank
	OL6077.B 200 01	01	02	TATIN	
	OL6077.IBC	1000	01	-	IBC Cube

PAG for Refrigeration Systems with CO,

	ArtNr.	Litres	8	***	Packaging
	OL6078.Q.P2	0,25	24	2880	
	OL6078.M.P2	0,50	12	1080	
	OL6078.K.P2	1	12	756	Plastic
0	OL6078.UP.P2	3,78	02	-	Tank
100	OL6078.I.P2	4	02	-	
0	OL6078.P.P2	5	02	140	
<u>S</u>	OL6078.K.01	1	12	-	
	OL6078.P.01	5	02	-	Metal
	OL6078.T	25	01	24	Tank
	OL6078.B	200	01	02	
	OL6078.IBC	1000	01	-	IBC Cube

Manual Oil Charging Pumps for AC/R Systems

Manual oil charging pumps allow the lubricant to enter into the compressor of refrigeration systems directly from the container, avoiding the risk of contamination with air and moisture. They are compatible with any type of container. The rubber cone of the pump PM1012.01 adapts all sizes of container openings.



	Art. Nr. PM1012.01	Art. Nr. PM1013.01
Capacity per shot	50 ml	75 ml
Male thread output	1/4" SAE	3/8" o 1/4" SAE
Max. output pressure	10 bar (145 psi)	17 bar (250 psi)
Supplied hose lenght	150 cm 1/4 SAE x 1/4 SAE	150 cm 1/4 SAE x 1/4 SAE
Closed pump lenght	41 cm	





ArtNr.	8	** **
AB1232.N.01	12	1344

R744 (CO₂) Electronic Leak Detector

R744 ($\rm CO_2$) ELECTRONIC LEAK DETECTOR is an electronic device specially designed to detect R744 ($\rm CO_2$) refrigerant gas. The leak detector is equipped with a microprocessor that guarantees a realistic and very precise signal. Thanks to the adjustment of 3 intensities and the presence of 7 LEDs with visual colored scale function, it is able to guarantee leak detection up to 5gr/year.

Technical Features:

- ✓ Semiconductor sensor.
- ✓ 40 cm flexible stainless probe.
- ✓ Operating temperature from 0 to 40°C.
- ✓ Leak detection indicator with 7 LED tricolor visual scale.
- ✓ Detectable refrigerant gases: R744 (CO₂).
- ✓ Power supply: 1 rechargeable 3.7 Vdc lithium battery.
- ✓ Power supply 5.0 V / 1.0 A.
- ✓ Plastic suitcase for storage and transport (22,4 x 7,1 x 5,4 cm).
- ✓ Weight: 416 gr (battery included).
- ✓ Auto power off: 10 minutes.





Safenet

High Evaporation Washing Liquid Not Inflammable

SAFENET is a high evaporation washing liquid designed to be used in all A/C systems.

How does it work?

It is inserted into the A/C system by manual or pneumatic systems. Once placed, it removes metal and contaminated lubricant residues.

✓ Does not leave

✓ Does not leave any kind of residue.

✓ Evaporates very quickly and completely.



ArtNr.	Description	8	**
TR1187.K.01	1L Metal Bottle	12	480
TR1187.P.01	5 L Metal Tank	02	168
TR1187.T	25 L Metal Tank	01	-

Ball Valves

In-Line Swivel Connection

ArtNr.	Male	Female	8
RP1119.R1.*	1/4 SAE	1/4 SAE	01
RP1219.R1.*	3/8 SAE	1/4 SAE	01
RP1819.R1.*	1/4 SAE	3/8 SAE	01
RP1919.R1.*	3/8 SAE	3/8 SAE	01
RP1035.R1.*	1/2 ACME	1/4 SAE	01
RP1719.R1.*	1/4 SAE	5/16 SAE	01
RP1319.R1.*	5/16 SAE	1/4 SAE	01
RP1619.R1.*	5/16 SAE	5/16 SAE	01



45° Swivel Connection

		- -	
ArtNr.	Male	Female	8
RP1170.R1.*	1/4 SAE	1/4 SAE	01
RP1270.R1.*	3/8 SAE	1/4 SAE	01
RP1070.R1.*	1/2 ACME	1/4 SAE	01
RP1370.R1.*	5/16 SAE	1/4 SAE	01
RP1170.R1.*	1/4 SAE	5/16 SAE	01
RP1670.R1.*	5/16 SAE	5/16 SAE	01



90° Swivel Connection

00 0111101	00111100111	,,,	
ArtNr.	Male	Female	8
RP1171.R1.*	1/4 SAE	1/4 SAE	01
RP1271.R1.*	3/8 SAE	1/4 SAE	01
RP1071.R1.*	1/2 ACME	1/4 SAE	01
RP1371.R1.*	5/16 SAE	1/4 SAE	01
RP1771.R1.*	14 SAE	5/16 SAE	01
RP1671.R1.*	5/16 SAE	5/16 SAE	01



Male Connection

ArtNr.	Description	8
RP1631.R1.*	1/4 SAE x 1/4 SAE	01
RP1037.R1.*	3/8 SAE x 3/8 SAE	01
RP1040.R1.*	1/2 ACME x 1/2 ACME	01
RP1636.R1.*	5/16 SAE x 5/16 SAE	01



^{*} ADD TO THE CODE: Y = YELLO VALVE, B = BLUE VALVE, R = RED VALVE, G = GREEN VALVE, W = WHITE VALVE

High Vacuum Hose

Rubber hose for high vacuum with connections 3/8 SAE Female

√ Resistant to temperatures from -40°C to + 82°C (-40°F a +180°F)

✓ Standard working pressure: 51 Bar (750 psi)

✓ Outbreak Pressure: 206 Bar (3000 psi)

✓ Internal diameter: 8,1 mm (0.32 inch)

✓ External diamter: 13,8 mm (0.545 inch)

ArtNr.	Description	8
TB5196Y	150 cm hose lenght	01
TB5197Y	240 cm hose lenght	01





Washing Liquid for Water and Glycol Refrigeration Systems

The washing liquid LIR for water and glycol refrigeration systems is the most effective solution to restore the ideal conditions and efficiency of this kind of systems. Its cleaning action eliminates all deposits (grease, sludge, fouling, etc.) that accumulate over time and slow down the normal flow of the refrigerant liquid. Thanks to its formulation it eliminates residues by detaching and keeping them in suspension until the circuit is emptied. LIR reduces fouling and restores the regular heat exchange.

Its alcaline formula also neutralizes the acidity formed over time, removes corrosion and produces a slight protective film that slows down the deposit of new accumulations.

It is ideal for all types of plant, both newly installed and used ones.



- ✓ Eliminates all deposits.
- ✓ Restores normal heat exchange.
- ✓ Neutralizes the acidity in the system.
- ✓ Slows down the formation of new deposits.



No-Freeze

Glycol for Water and Glycol Refrigeration Systems

NO-FREEZE is a specific antifreeze for water and glycol systems. Based on additive propyleneglycole, it protects the system pipes from any breakage due to the freezing of the internal liquid up to a temperature of -73°C.

Placed into the systems, it keeps them clean and prevents internal corrosion. It greatly improves heat exchange allowing maximum heat transfer and excellent operational efficiency.

It does not react with products already placed in the system.

It can be used pure or diluted in water. The dilution ratio must be assessed according to specific work needs. For example, a 10% dilution brings the freezing point to -3 $^{\circ}$ C; at 40% the freezing point is -25 $^{\circ}$ C; at 60% is -55 $^{\circ}$ C.

An excess of product does not affect the performance of the system.

Every chemical compound in the NO-FREEZE formula has been tested to be safe for human health by the FDA (Food and Drugs Administration): this makes NO-FREEZE harmless even in systems that are in contact with drinking water sources or food.



- ✓ Prevents the liquid from freezing in the system up to -73°C.
- ✓ Prevents internal corrosion.
- ✓ Improves heat exchange.
- ✓ Food-grade.





Smoke Machine to Purify Interiors and Cockpits

Kemuri is the smoke machine to purify interiors and cockpits. The uniform saturation with Kemuri dry smoke ensures the perfect cleaning of the interiors, even in the most difficult-to-reach places. The boiler design guarantees a high level of emission quality and energy efficiency. The boiler has a heating time of 50 seconds. Once reached the proper temperature, the dispensing and heatings cycles (45 seconds each) alternate. Each cycle is enough to saturate 10 m³ with a Kiri sanitizing liquid consumption of 10 mL.

Technical features:

• Cable control that allows you not to stay in the treated area.

Power supply: 230V

• Boiler: 400W

Emission: 10 m³/minute
Preheating: 50 seconds
Liquid tank capacity: 0.2 L

• Liquid consumption: 30 min/0.2L (100% output)

• Weight: 1.4 Kg

Dimensions (LxAxP): 120x120x240 mm
Product compliant with EC regulations



Kiri

Art.-Nr. AB1109.Y.01

Purifying Liquid for Kemuri Bottle with 50 mL

Kiri is the purifying liquid based on quaternary ammonium salts and lemon tree extracts formulated specifically for Kemuri, the smoke machine.

Through Kemuri's vaporization chamber, Kiri turns into a dry and light active smoke that saturated rooms and cockpits ensuring the perfect cleaning of all surfaces, even the most difficult ones to reach.

Kiri does not damage the surfaces, does not humidify the interior and thanks to lemon tree extract it leaves a pleasant lemon scent.



TESTED:

EN1276 - EN1650 - EN14476 EN16777 - <u>EN13697</u>

Foggy Kit

Foggy Kit is a smartbox that contains KEMURI, the smoke machine, and 48 bottles of KIRI, purifying treatment formulated for KEMURI.



BioClean

Biocidal Disinfectant for Surfaces and A/C Systems Virucidal and Bactericidal

BioClean is a virucidal and bactericidal disinfectant based on Propan-2-Olo at 75% that disinfects all surfaces and air ducts of the air conditioner. It eliminates bacteria, mold and viruses and restores the health of the air released into the room.

How does it work?

Sprayed directly onto the surfaces and finned coils of splits or fancoils it eliminates viruses, bacteria, germs, dust, dirt, allergens and microorganisms causing unpleasent odors and allergic reactions.



- ✓ It evaporates quickly and smoothly without leaving residues and stains.
- ✓ No perfume.
- ✓ It doesn't need to be rinsed.









ArtNr.	Description	8	** **
AB1231.N.01	Aerosol Can 400 mL	12	1344

SmartBact



Ready-to-use Disinfectant Preparation Kit

SMARTBACT is a ready-to-use disinfectant preparation kit that includes:

- Sanibact concentrated disinfectant.
- Bottle with trigger to contain ready-to-use disinfectant.
- 40 mL doser

How does it work?

Just dilute 40 mL of concentrated disinfectant in 960 mL of water placed into the empty bottle to obtain 1L of RTU disinfectant.



- Can be applied both in liquid and foamy form thanks to the special trigger.
- ✓ It's efficacy guarantees the highest level of disinfection during the process.
- ✓ Does not release odors or residues.
- ✓ Works in just 5 minutes, allowing a very deep action and fast disinfection.







RKAB85.S1

SmartBact 500mL

SaniBact RTU

Surface Disinfectant Ready-To-Use - 1 Litre Bottle

Sanibact RTU is a ready-to-use surface disinfectant, registered in Germany (reg. N 98583) and the United Kingdom. Sanibact RTU removes viruses, bacteria, mold, fungus and allergens from any surface. It does not need dilution and acts in just 5 minutes.



- ✓ Disinfectant registered in Germany (N-98583).
- ✓ Disinfectant registered in Austria.
- ✓ Disinfectant registered in the UK.
- ✓ Ready to use.
- ✓ Effective against viruses, bacteria, germs, mold, fungus and allergens.

Note. At the moment SaniBact RTU is not saleable in: Italy, Poland, France and Portugal







CleanSi

Sanitizer for Surfaces 80% Alcohol Based

CLEANSI is a powerful 80% alcohol-based sanitiser in an aerosol spray that can be applied directly onto surfaces. It sanitizes deeply with a simple gesture. This innovative product evaporates quickly and completely without leaving residues and stains. Thanks to its high alcohol content it is particularly suitable for sanitising and cleaning high-touch surfaces. Applied to filters and ventilation ducts of air conditioning systems, it removes microorganisms that affect the quality and health of the air released into the rooms.



- ✓ Disinfectanct registered in Germany (N°90037).
- ✓ High alcohol content (80%).
- ✓ Sanitises any kind of surface.
- ✓ It evaporates quickly and smoothy without leaving residues and stains.
- ✓ Removes germs, allergens, environmental dirt, prints, stains and grease.
- ✓ Suitable for the HACCP plan.
- ✓ Ready to use, does not need rinsing.











Interior Purifier PRO

Purifying Treatment in Aerosol Can for Interiors and Cockpits

INTERIOR PURIFIER PRO is a treatment that purif surfaces in cockpits and interiors by removing contaminants and leaving a pleasant scent.

It takes only 30 seconds and a simple gesture to purify up to 70 sqm or 3 cockpits. You can also use it for buses, rescue vehicles, vans, trains and subways, aircraft cabins etc.


How does it work?

The powerful jet of the 600 mL can delivers 20 mL/second. This ensures complete air saturation in just 30 seconds, guaranteeing the purifying molecules to settle evenly on all the surfaces.

Its purifying action is guaranteed by letting Interior Purifier PRO act for at least 10 minutes.



- √ Disinfectant registered in Germany (N-69547).
- √ Ideal to purify cockpits and environments up to 70m².



✓ Erogation power 20 mL/second.

✓ Scented and ready-to-use.





ArtNr.	Description	8	**
AB1229.U.01	Aerosol Can 600 mL	12	1008



Purifying Treatments by AnnaTwelve

Errecom's experience meets Annatwelve's charme, to keep guaranteeing fresh and clean interiors and cockpits, gifting warm emotions at the same time.

The Atom Ultra and Interior Purifier lines has two new fragrances, designed by AnnaTwelve.

Interior Purifier

Purifying Treatment for Interiors and Cockpits





We are talking about Boreal and Royale, that enrich Errecom's traditional purifying products with a new and unusual touch.

Atom Ultra

Purifying Treatment for Atom Machine





Perfumes for Interiors

Trigger is the practical amber-coloured spray diffuser to create unique moments in any kind of ambience whenever desired. It is excellent for particular exclusive events.


Just apply few sprays directly on curtains, carpets and fabrics to obtain an authentic longlasting olfactory experience. This product is the perfect solution to create an individual unique and distinctive identity in ambiences such as homes, hotel industry, sales points and companies.

It can feature olfactory identity turning whatever you want into unique and unmistakable.

Trigger is made with 100% recyclable material according to our environmentally friendly and sustainable policy.

Use:

This Perfume can be directly sprayed on curtains, carpets and draperies with a distance of approximately 60 cm. The perfume does not damage the fabrics and does not leave streaks or residues.



Trigger in Basic Box

Fragrance	500 mL	8	1 Litre	8
BOREAL	AT.BOR.0500.TB	16	AT.BOR.1000.TB	12
CRUISE	AT.CRU.0500.TB	16	AT.CRU.1000.TB	12
FLAME	AT.FLA.0500.TB	16	AT.FLA.1000.TB	12
HORIZON	AT.HOR.0500.TB	16	AT.HOR.1000.TB	12
PACIFIC	AT.PAC.0500.TB	16	AT.PAC.1000.TB	12
RIVIERA	AT.RIV.0500.TB	16	AT.RIV.1000.TB	12
ROYALE	AT.ROY.0500.TB	16	AT.ROY.1000.TB	12
SOHO	AT.SOH.0500.TB	16	AT.SOH.1000.TB	12
DUNE	AT.DUN.0500.TB	16	AT.DUN.1000.TB	12



Perfume for Interiors

Trigger in Luxury Box

Fragrance	500 mL	1 Litre	8
BOREAL	AT.BOR.0500.TG	AT.BOR.1000.TG	04
CRUISE	AT.CRU.0500.TG	AT.CRU.1000.TG	04
FLAME	AT.FLA.0500.TG	AT.FLA.1000.TG	04
HORIZON	AT.HOR.0500.TG	AT.HOR.1000.TG	04
PACIFIC	AT.PAC.0500.TG	AT.PAC.1000.TG	04
RIVIERA	AT.RIV.0500.TG	AT.RIV.1000.TG	04
ROYALE	AT.ROY.0500.TG	AT.ROY.1000.TG	04
SOHO	AT.SOH.0500.TG	AT.SOH.1000.TG	04
DUNE	AT.DUN.0500.TG	AT.DUN.1000.TG	04

Its valuable packaging makes it unique and exclusive. An elegant precious present, rich of emotions.



REFILL in Basic Box

Fragrance	500 mL	8	1 Litre	8
BOREAL	AT.BOR.0500.RF	20	AT.BOR.1000.RF	12
CRUISE	AT.CRU.0500.RF	20	AT.CRU.1000.RF	12
FLAME	AT.FLA.0500.RF	20	AT.FLA.1000.RF	12
HORIZON	AT.HOR.0500.RF	20	AT.HOR.1000.RF	12
PACIFIC	AT.PAC.0500.RF	20	AT.PAC.1000.RF	12
RIVIERA	AT.RIV.0500.RF	20	AT.RIV.1000.RF	12
ROYALE	AT.ROY.0500.RF	20	AT.ROY.1000.RF	12
SOHO	AT.SOH.0500.RF	20	AT.SOH.1000.RF	12
DUNE	AT.DUN.0500.RF	20	AT.DUN.1000.RF	12





One Spray of the Trigger supplies 1,1 mL
One Flacon including 500 mL can dispense 450 erogations.
One Flacon including 1 L can dispense 900 erogations.



Perfumes for Interiors

Cube is a piece of furniture signed by AnnaTwelve dedicated to all ambiences where details make the difference.

It is an elegant black glass cube with a steel diffuser of sophisticated design suitable for any furniture style. This merchandise renders prestigious homes or hotel rooms unforgettable.

The special diffuser makes it possible to choose the desired quantity of the perfume by regulating the intensity of the ambience scent. Just few sprayers applied on curtains or draperies will provide you with a longterm olfactory experience.

Use:

You can spray it directly on carpets and draperies with a distance of 60 cm. The perfume does not damage the fabrics and does not leave streaks or residues. It is recommanded to avoid any contact with delicate surfaces.





Cube in Luxury Box

	,			
100 mL	200 mL	500 mL	Fragrance	8
AT.BOR.0100.CB	AT.BOR.0200.CB	AT.BOR.0500.CB	BOREAL	04
AT.CRU.0100.CB	AT.CRU.0200.CB	AT.CRU.0500.CB	CRUISE	04
AT.FLA.0100.CB	AT.FLA.0200.CB	AT.FLA.0500.CB	FLAME	04
AT.HOR.0100.CB	AT.HOR.0200.CB	AT.HOR.0500.CB	HORIZON	04
AT.PAC.0100.CB	AT.PAC.0200.CB	AT.PAC.0500.CB	PACIFIC	04
AT.RIV.0100.CB	AT.RIV.0200.CB	AT.RIV.0500.CB	RIVIERA	04
AT.ROY. 0100.CB	AT.ROY. 0200.CB	AT.ROY. 0500.CB	ROYALE	04
AT.SOH.0100.CB	AT.SOH.0200.CB	AT.SOH.0500.CB	SOHO	04
AT.DUN.0100.CB	AT.DUN.0200.CB	AT.DUN.0500.CB	DUNE	04



Its valuable packaging makes it unique and exclusive. An elegant precious present, rich of emotions.

Perfums for Cockpits

Car has been manufactured especially for customers who desire turning a car cockpit into a special place that reflects their personality.


The amber-coloured glass of the pack protects the fragrance from light against alterations and damaging.

Car can be conveniently stored inside the car door's interior bag, in order to keep the selected fragrance always handy. A few sprays on the mats will diffuse the scent for many hours throughout the cockpit, turning it into a harmonious and welcoming environment.

Use:

You can spray it directly on car carpets to guarantee a perfect diffusion in the cockpit. Please avoid contact with delicate surfaces.

One spray supplies 0,08 mL A full bottle will dispense 1200 erogations.



Car in Basic Box

100 mL	Fragrance	8
AT.BOR.0100.BC	BOREAL	30
AT.BCU.0100.BC	CRUISE	30
AT.FLA.0100.BC	FLAME	30
AT.HOR.0100.BC	HORIZON	30
AT.PAC.0100.BC	PACIFIC	30
AT.RIV.0100.BC	RIVIERA	30
AT.ROY. 0100.BC	ROYALE	30
AT.SOH.0100.BC	SOHO	30
AT.DUN.0100.BC	DUNE	30

Car in Luxury Box

100 mL	Fragrance	8
AT.BOR.0100.CR	BOREAL	12
AT.CRU.0100.CR	CRUISE	12
AT.FLA.0100.CR	FLAME	12
AT.HOR.0100.CR	HORIZON	12
AT.PAC.0100.CR	PACIFIC	12
AT.RIV.0100.CR	RIVIERA	12
AT.ROY. 0100.CR	ROYALE	12
AT.SOH.0100.CR	SOHO	12
AT.DUN.0100.CR	DUNE	12





Its valuable packaging makes it unique and exclusive. An elegant precious present, rich of emotions.



Perfume Refill



Perfume Refill for Spray

500 mL Bottle

ArtNr.	Fragrance	8
AT.BOR.0500.RF	BOREAL	16
AT.CRU.0500.RF	CRUISE	16
AT.FLA.0500.RF	FLAME	16
AT.HOR.0500.RF	HORIZON	16
AT.PAC.0500.RF	PACIFIC	16
AT.RIV.0500.RF	RIVIERA	16
AT.ROY.0500.RF	ROYALE	16
AT.SOH.0500.RF	SOHO	16
AT.DUN.0500.RF	DUNE	16

1 L Bottle

ArtNr.	Fragrance	8
AT.BOR.1000.RF	BOREAL	16
AT.CRU.1000.RF	CRUISE	16
AT.FLA.1000.RF	FLAME	16
AT.HOR.1000.RF	HORIZON	16
AT.PAC.1000.RF	PACIFIC	16
AT.RIV.1000.RF	RIVIERA	16
AT.ROY.1000.RF	ROYALE	16
AT.SOH.1000.RF	SOHO	16
AT.DUN.1000.RF	DUNE	16

Perfume Refill for Diffuser

120 mL Bottle

ArtNr.	Fragrance	8
AT.BOR.0120.HM	BOREAL	50
AT.CRU.0120.HM	CRUISE	50
AT.FLA.0120.HM	FLAME	50
AT.HOR.0120.HM	HORIZON	50
AT.PAC.0120.HM	PACIFIC	50
AT.RIV.0120.HM	RIVIERA	50
AT.SOH.0120.HM	SOHO	50
AT.ROY.0120.HM	ROYALE	50
AT.DUN.0120.HM	DUNE	50



The bottle can be exchanged directly with the tank in HOMAE.





ArtNr.	Fragrance	3
AT.BOR.0800.HV	BOREAL	09
AT.CRU.0800.HV	CRUISE	09
AT.FLA.0800.HV	FLAME	09
AT.HOR.0800.HV	HORIZON	09
AT.PAC.0800.HV	PACIFIC	09
AT.RIV.0800.HV	RIVIERA	09
AT.SOH.0800.HV	SOHO	09
AT.ROY.0800.HV	ROYALE	09
AT.DUN.0800.HV	DUNE	09

The bottle can be exchanged directly with the tank in Heaven PRO.



Perfume Diffuser for AHU Systems

Heaven is a diffuser for large areas or ambiences equipped with AHUs to provide constant and efficient levels of fragrance diffusion.

Thanks to its compact and linear design Heaven can be both positioned visibly on any kind of surface or wall or hidden.

You can program Heaven directly its display and control its function by Wi-Fi to guarantee a constantly efficient diffusion of the fragrance even in very extensive rooms.

	Heaven	Heaven PRO
Coverage	800-1200 m ³	2500-4000 m ³
Power supply	12V - 7,5W	12V - 16W
Noise level	≤ 45 dB	≤ 50 dB
Weight	3,0 Kg	4,2 Kg
Dimensions	230x110xH260 mm	280x120xH279,5 mm
Fragrance tank Capacity	500 ml	800 ml

Programming: Display Touch Panel and Wi-Fi.



Kit for connecting to the AHU system 180 cm hoses lenght.







Thanks to its modern, compact and linear shape, Heaven is a scent diffuser designed to be used also "on sight". It can be placed directly on furnishing accessories or hung on the wall.

The fragrance will be spread into the environment through the internal fan granting constant and efficient levels of diffusion in the environment. It can be programmed directly from the display or remotely via Wi-Fi connection.

ArtNr.	Description	8
AT.HV.01	Heaven	01
AT.HV.02	Heaven PRO	01





Perfume Diffusers for Interiors

Homae is a scent diffuser of modern and appealing design suitable to any kind of interior décor.

Connected to bluetooth and using a common smartphone you can program the desired spraying mood autonomously in a very simple and intuitive way.

You can regular the desired scent intensity up to 5 daily erogation cycles on every weekday.

With a diffuser capacity up to 200 m³ Homae presents the perfect solution for hotels and shops, showrooms, offices and any kind of living space.

Technical features

Coverage	200 m ³
Power supply	12V -
Noise level	≤ 35 dB
Weight	1,0 Kg
Dimensions	180 x H 280 mm
Fragrance tank Capacity	120 ml

ArtNr.	8
AT.HM.PG	01





Perfume Diffuser for Interiors

Menhir is a scent diffuser of minimal and sophisticated design suitable for any kind of interior décor.

Connected to bluetooth and using a common Smartphone you can program the desired spraying mood in a very simple and intuitive way autonomously.

You can personalize the desired scent intensity up to 5 daily erogation cycles on every weekday.

Due to its diffusion capacity of 1500 m3, Menhir is the perfect diffuser to install an unique olfactory experience in hotel lounges, shops, waiting rooms, modern showrooms, fitness and beauty centres.

Technical Features

Coverage	1500 m ³
Power supply	12V -
Noise level	≤ 50 dB
Weight	4,2 Kg
Dimensions	113 X H 642 mm
Fragrance tank Capacity	500 ml



ArtNr.	8
AT.MN.01	01









Proud to be member of













info@errecom.it - errecom.com

ERRECOM SPA

Via Industriale, 14 Corzano (BS) Italy T: +39 030 971 9096 ERRECOM USA, LLC 1900 North Bayshore Drive 1A Suite 129 Miami, FL 33132

T: +1 786 796-7862

follow us on

